

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Revision Date: 01/09/2019 Date of issue: 02/10/2014

SECTION 1: IDENTIFICATION

1.1. **Product Identifier**

Product Form: Mixture

Product Name: Adequan[®] Canine (Polysulfated Glycosaminoglycan or PSGAG)

Product Code: United States: 10797-975-02; Canada: 005-02C; Japan: 7560928

1.2. Intended Use of the Product

Use of the substance/mixture: For intramuscular injection for the control of signs associated with non-infectious degenerative and/or traumatic arthritis of canine synovial joints.

1.3. Name, Address, and Telephone of the Responsible Party

Manufacturer

American Regent Animal Health, Inc.

5 Ramsey Road

P.O. Box 9001

Shirley, NY

1-800-645-1706

www.aranimalhealth.com

www.adequancanine.com

1.4. **Emergency Telephone Number**

Emergency Number CHEMTREC 1-800-424-9300

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture 2.1.

Classification (GHS-US)

Not classified

2.2. **Label Elements**

GHS-US Labeling

No labeling applicable

2.3. Other Hazards Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. Refer to patient insert for more information.

2.4. **Unknown Acute Toxicity (GHS-US)**

25 % of the mixture consists of ingredient(s) of unknown acute toxicity (Oral, Dermal, Inhalation)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Product Identifier	%	Classification (GHS-US)
Water for injection	(CAS No) 7732-18-5	90	Not classified
Polysulfated glycosaminoglycan	(CAS No) 64082-61-7	10	Not classified
Benzyl alcohol	(CAS No) 100-51-6	≤ 0.9	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 3 (Inhalation: vapor), H331 Eye Irrit. 2A, H319 Aquatic Acute 2, H401
Sodium hydroxide	(CAS No) 1310-73-2	Used to adjust pH	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402
Hydrochloric acid	(CAS No) 7647-01-0	Used to adjust pH	Met. Corr. 1, H290 Acute Tox. 3 (Inhalation:gas), H331 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335

Full text of H-phrases: see section 16

Version: 1.0

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). In the event of accidental injection, immediately call a poison center or seek medical advice. **First-aid Measures After Inhalation**: When symptoms occur: go into open air and ventilate suspected area. Seek medical attention.

First-aid Measures After Skin Contact: Remove contaminated clothing. Flush with copious quantities of water for 15 minutes. Seek medical advice.

First-aid Measures After Eye Contact: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/Injuries: Not expected to present a significant hazard under anticipated conditions of normal use. Please refer to the package insert for more detailed information.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If you feel unwell, seek medical advice (show the label where possible).

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, dry chemical, foam, carbon dioxide.

Unsuitable Extinguishing Media: A heavy water stream may spread burning liquid. CAUTION: Carbon dioxide is an asphyxiant. Lack of oxygen can be fatal.

5.2. Special Hazards Arising From the Substance or Mixture

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Firefighting Instructions: Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Firefighters must use full bunker gear including NIOSH-approved positive-pressure self-contained breathing apparatus to protect against potential hazardous combustion and decomposition products.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid all unnecessary exposure. Do not breathe vapour or mist.

6.1.1. For Non-emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE). Refer to section 8.2.

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Responders

Protective Equipment: Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

Emergency Procedures: Ventilate area.

6.2. Environmental Precautions Prevent entry to sewers and public waters.

6.3. Methods and Material for Containment and Cleaning Up

Methods for Cleaning Up: Vacuum spillage with a vacuum cleaner having a high efficiency particulate (HEPA) filter, or absorb liquid with clay absorbent, absorbent pads or paper towels. Use plastic tools to scoop up, sweep or containerize spilled material. Use plastic drums to contain spilled materials. Wipe working surfaces to dryness, and then wash with soap and water.

6.4. **Reference to Other Sections** See heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in original container. Store in a dry, cool and well-ventilated place.

Incompatible Products: Strong bases. Strong oxidizers. Strong acids.

Storage Temperature: 20 - 25 °C (68 - 77 °F) Excursions permitted to 15 - 30 °C (59 - 86 °F)

7.3. Specific End Use(s) For veterinary use only.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), or OSHA (PEL).

Sodium hydr	Sodium hydroxide (1310-73-2)	
USA ACGIH	ACGIH Ceiling (mg/m³)	2 mg/m ³
USA NIOSH	NIOSH REL (ceiling) (mg/m ³)	2 mg/m ³
USA IDLH	US IDLH (mg/m ³)	10 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m³)	2 mg/m ³
Hydrogen ch	loride (7647-01-0)	
USA ACGIH	ACGIH Ceiling (ppm)	2 ppm
USA NIOSH	NIOSH REL (ceiling) (mg/m ³)	7 mg/m ³
USA NIOSH	NIOSH REL (ceiling) (ppm)	5 ppm
USA IDLH	US IDLH (ppm)	50 ppm
USA OSHA	OSHA PEL (Ceiling) (mg/m ³)	7 mg/m³
USA OSHA	OSHA PEL (Ceiling) (ppm)	5 ppm

8.2. Exposure Controls

Appropriate Engineering Controls

 Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.
Gloves. Safety glasses.

Personal Protective Equipment



Hand Protection	: Wear chemically resistant protective gloves.
Eye Protection	: Chemical goggles or safety glasses.
Skin and Body Protection	: Wear suitable protective clothing. Wash contaminated clothing before reuse.
Respiratory Protection	: In case of inadequate ventilation wear respiratory protection.
Other Information	: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: Colorless to slightly yellow
Odor	: Benzyl Alcohol
Odor Threshold	: No data available
рН	: 5-6.5
Evaporation Rate	: No data available
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: ≈ 100 °C (212 °F)
Flash Point	: No data available
Auto-ignition Temperature	: No data available
Decomposition Temperature	: Not applicable
Flammability (solid, gas)	: No data available
Vapor Pressure	: No data available
Relative Vapor Density at 20 °C	: No data available
Relative Density	: No data available
Specific Gravity	: ≈1.1
Solubility	: Soluble in water
Partition Coefficient: N-Octanol/Water	: No data available
Viscosity	: No data available
9.2. Other Information No additional informa	tion available

9.2. Other Information No additional information available

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: STABILITY AND REACTIVITY

- 10.1. Reactivity: Hazardous reactions will not occur under normal conditions.
- 10.2. Chemical Stability: Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- **10.4.** Conditions to Avoid: Direct sunlight. Extremely high or low temperatures.
- **10.5.** Incompatible Materials: Strong oxidizers. Strong bases. Strong acids.

10.6. Hazardous Decomposition Products: None known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information On Toxicological Effects

Acute Toxicity: Not classified

Acute Toxicity: Not classified		
Water (7732-18-5)		
LD50 Oral Rat	> 90000 mg/kg	
Benzyl alcohol (100-51-6)		
LD50 Oral Rat	1230 mg/kg	
LD50 Dermal Rabbit	2 g/kg	
LC50 Inhalation Rat	8.8 mg/l/4h	
Hydrogen chloride (7647-01-0)		
LD50 Oral Rat	238 - 277 mg/kg	
LD50 Dermal Rabbit	> 5010 mg/kg	
LC50 Inhalation Rat	1.68 mg/l (Exposure time: 1 h)	
LC50 Inhalation Rat	781 ppm/4h (reported as 3124 ppm/1 h)	
Skin Corrosion/Irritation: Not classified (pH: 5 - 6.5)	
Serious Eye Damage/Irritation: Not classi	fied (pH: 5 - 6.5)	
Respiratory or Skin Sensitization: Not class	ssified	
Germ Cell Mutagenicity: Not classified		
Carcinogenicity: Not classified		
Hydrogen chloride (7647-01-0)		
IARC group	3	
Reproductive Toxicity: Not classified		
Specific Target Organ Toxicity (Single Exp		
Specific Target Organ Toxicity (Repeated	Exposure): Not classified	
Aspiration Hazard: Not classified		
SECTION 12: ECOLOGICAL INFORM	ATION	
12.1. Toxicity		
Sodium hydroxide (1310-73-2)		
LC50 Fish 1	45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])	
EC50 Daphnia 1	40 mg/l	
Benzyl alcohol (100-51-6)		
LC50 Fish 1	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
EC50 Daphnia 1	23 mg/l (Exposure time: 48 h - Species: water flea)	
LC 50 Fish 2	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
12.2. Persistence and Degradability	/ Not established	
12.3. Bioaccumulative Potential		
Adequan [®] Canine		
Bioaccumulative Potential	Not established.	
Benzyl alcohol (100-51-6)		
Log Pow	1.1	
12.4. Mobility in Soil No additional in	nformation available	
12.5. Other Adverse Effects		
Other Information	: Avoid release to the environment.	
SECTION 13: DISPOSAL CONSIDERA		
SECHOR 13, DISPOSAL CONSIDENA		

13.1. Waste treatment methods

Sewage Disposal Recommendations: Do not empty into drains; dispose of this material and its container in a safe way.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations.

SECTION 14: TRANSPORT INFORMATION

14.1. In Accordance with DOT Not regulated for transport

14.2. In Accordance with IMDG Not regulated for transport

14.3. In Accordance with IATA Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1 US Federal Regulations

Water (7732-18-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Sodium hydroxide (1310-73-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Benzyl alcohol (100-51-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Hydrogen chloride (7647-01-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on the United States SARA Section 302

Listed on United States SARA Section 313

SARA Section 302 Threshold Planning Quantity (TPQ)	500 (gas only)
SARA Section 313 - Emission Reporting	1.0 % (acid aerosols including mists, vapors, gas, fog, and other
	airborne forms of any particle size)

15.2 US State Regulations

Sodium hydroxide (1310-73-2)

U.S. - Massachusetts - Right To Know List

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

Benzyl alcohol (100-51-6)

U.S. - Massachusetts - Right To Know List

U.S. - Pennsylvania - RTK (Right to Know) List

Hydrogen chloride (7647-01-0)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision Date : 01/09/2019

Other Information

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

Acute Tox. 3 (Inhalation: gas)	Acute toxicity (inhalation: gas) Category 3
Acute Tox. 3 (Inhalation: vapor)	Acute toxicity (inhalation: vapor) Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 4	Flammable liquids Category 4
Met. Corr. 1	Corrosive to metals Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H227	Combustible liquid

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H290	May be corrosive to metals
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H319	Causes serious eye irritation
H331	Toxic if inhaled
H335	May cause respiratory irritation
H401	Toxic to aquatic life
H402	Harmful to aquatic life

Refer to American Regent Animal Health prescribing information for further information at: http://aranimalhealth.com

The information above is believed to be accurate and represents the best information currently available to American Regent Animal Health. The information has not been verified and we cannot, therefore, guarantee its accuracy or completeness or adequacy for all persons and situations or as to the results to be obtained by use of the information. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. WE MAKE NO WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR USE OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, WITH RESPECT TO SUCH INFORMATION AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. Users should make their own investigations to determine the suitability of the information for their own particular purposes. The user assumes all risks from use of the product. In no event shall American Regent Animal Health, Inc., its subsidiaries, its affiliates and its contractors be liable for any claims, losses or damages of any third party, or for lost profits, or for any special, indirect, incidental, consequential or exemplary damages however arising, even if American Regent Animal Health, Inc. has been advised of the possibility of such damages.

SDS US (GHS HazCom)